FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABILITY

MSO - 519
IDENTIFICATION NUMBER

COMMANDED BY

L. L. HAWKINS, LCDR, U. S. N.

Attached to
EIGHTY-FIVE Division,
EIGHT Squadron,
Flotilla,
ATLANTIC Fleet,
SIXTH Naval District,

Commencing 0001, 1 DECEMBER, 1960 ,
(zone time and date)
at CHARLESTON, SOUTH CAROLINA,
(location)
and ending 2400, 31 DECEMBER, 1960 ,
(zone time and date)
at CHARLESTON, SOUTH CAROLINA
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO519) ZONE DESCRIPTION +5 DATE THURSDAY (Day) 1 (Date) DECEMBER (Month), 1960

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	326	5	10	CLR	30.11	45	37	00	00	00	00	00	00
02	330	6	10	CLR	30.13	43	37	00	00	00	00	00	00
03	330	7	10	CLR	30.16	42	37	00	00	00	00	00	00
04	335	7	10	CLR	30.18	38	33	00	00	00	00	00	00
05	015	4	10	CLR	30.20	36	33	00	00	00	00	00	00
06	040	4	10	SCT	30.22	35	31	3	4500	AC	00	00	00
07	090	4	10	SCT	30.23	35	31	6	4500	CU/AC	00	00	00
08	090	4	10	BKN	30.26	38	33	8	4500	AC	00	00	00
09	070	6	10	OVC	30.27	39	33	10	4500	AC/CI	00	00	00
10	070	8	10	OVC	30.27	40	34	10	4500	AC/CI	00	00	00
11	050	4	10	OVC	30.27	41	35	10	4500	AC/CI	00	00	00
12	010	10	10	OVC	30.26	44	38	10	4500	AC/CI	00	00	00
13	330	10	10	BKN	30.26	46	38	8	4500	AC/CI	00	00	00
14	330	10	10	SCT	30.26	44	38	6	20000	CI	00	00	00
15	330	10	10	SCT	30.26	44	37	6	20000	CI	00	00	00
16	170	10	8	SCT	30.24	44	37	4	20000	CI	00	00	00
17	170	10	8	SCT	30.24	42	35	2	20000	CI	00	00	00
18	150	10	8	CLR	30.26	42	35	00	00	00	00	00	00
19	010	8	7	CLR	30.28	40	34	00	00	00	00	00	00
20	000	8	7	CLR	30.30	40	34	00	00	00	00	00	00
21	000	10	6	CLR	30.34	40	34	00	00	00	00	00	00
22	000	10	6	CLR	30.36	38	33	00	00	00	00	00	00
23	000	12	6	CLR	30.35	38	33	00	00	00	00	00	00
24	000	6	6	CLR	30.35	38	33	00	00	00	00	00	00

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 8.5

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 104, PIER 10, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE ~~MSO 460~~ (MSO 460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. DLB

ENS, USN

04-08 MOORED AS BEFORE.

ENS, USN

APPROVED: L.H. Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ______________ ______________ , 19 ____
(*Day*) (*Date*) (*Month*)

APPROVED:

______________ U. S. N. COMMANDING

EXAMINED:

______________ U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 579) THURSDAY *(Day)* 1 *(Date)* DEC *(Month)*, 19 60

08-12 MOORED AS BEFORE 0850 CONDUCTED DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. 0930 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE.

Wilkinson
ENS USNR

12-16 MOORED AS BEFORE

Wilkinson
ENS USNR

16-20 MOORED AS BEFORE

Wilkinson
ENS USNR

20-24 MOORED AS BEFORE

Wilkinson
ENS USNR

APPROVED: L A Hawkins U. S. N. COMMANDING

EXAMINED: Griffin, LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 2 (Date) DECEMBER (Month), 1960

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	010	4	7	CLR	30.33	38	34	00	00	00	00	00	00
02	010	4	7	CLR	30.31	38	34	00	00	00	00	00	00
03	010	4	7	CLR	30.33	38	30	00	00	00	00	00	00
04	010	6	9	CLR	30.34	35	28	00	00	00	00	00	00
05	005	8	9	CLR	30.39	33	28	00	00	00	00	00	00
06	015	8	10	CLR	30.40	33	28	00	00	00	00	00	00
07	030	10	10	CLR	30.42	31	28	00	00	00	00	00	00
08	040	10	10	CLR	30.43	34	30	00	00	00	00	00	00
09	010	10	10	CLR	30.45	34	30	00	00	00	00	00	00
10	310	10	10	CLR	30.47	40	35	00	00	00	00	00	00
11	330	10	10	CLR	30.47	44	35	00	00	00	00	00	00
12	320	12	10	CLR	30.45	44	35	00	00	00	00	00	00
13	310	12	10	CLR	30.45	47	37	00	00	00	00	00	00
14	310	12	10	CLR	30.43	49	40	00	00	00	00	00	00
15	310	15	10	CLR	30.40	49	40	00	00	00	00	00	00
16	305	10	10	CLR	30.40	48	38	00	00	00	00	00	00
17	305	10	10	CLR	30.40	47	38	00	00	00	00	00	00
18	310	10	10	CLR	30.40	46	41	00	00	00	00	00	00
19	305	10	8	CLR	30.41	45	42	00	00	00	00	00	00
20	000	10	8	CLR	30.40	44	39	00	00	00	00	00	00
21	010	8	8	CLR	30.41	42	36	00	00	00	00	00	00
22	005	8	8	CLR	30.41	39	33	00	00	00	00	00	00
23	000	4	8	CLR	30.41	38	32	00	00	00	00	00	00
24	340	6	8	CLR	30.41	36	32	00	00	00	00	00	00

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 104, PIER 10, U.S. NAVAL STATION, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO 460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. CONDITION OF READINESS V AND MATERIAL CONDITION YOKE SET.

K Wilkinson
ENS USNR

04-08 MOORED AS BEFORE. ~~0750 MUSTERED CREW AT QU~~ 0750 MUSTERED CREW AT QUARTERS. ABSENTEES: NONE. KW

K Wilkinson
ENS USNR

APPROVED: L Hawkins U.S. N. COMMANDING

EXAMINED: W E Griffin, LTJG U.S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability CMSO 519 Fri (Day) 2 (Date) Dec (Month), 1960

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal. Made weekly inspection and test of magazine sprinkler system. Tests satisfactory.

W. J. Holloway
LTJG, USN

12-16 Moored as before

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: L. A. Hawkins U. S. N. COMMANDING

EXAMINED: W. T. Griffin, LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Saturday (Day) 3 (Date) Dec (Month), 1960

~~AT~~/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	320	10	8	CLR	30.42	36	32	00	00	00	00	00	00
02	320	10	8	CLR	30.42	35	31	00	00	00	00	00	00
03	320	10	8	CLR	30.41	35	30	00	00	00	00	00	00
04	320	10	8	CLR	30.41	33	28	00	00	00	00	00	00
05	320	10	8	CLR	30.41	32	30	00	00	00	00	00	00
06	320	10	10	CLR	30.40	33	30	00	00	00	00	00	00
07	320	10	10	CLR	30.40	33	30	00	00	00	00	00	00
08	320	8	12	CLR	30.41	33	30	00	00	00	00	00	00
09	325	8	12	CLR	30.43	40	35	00	00	00	00	00	00
10	310	8	12	CLR	30.42	42	36	00	00	00	00	00	00
11	305	7	12	CLR	30.44	44	38	00	00	00	00	00	00
12	300	5	12	CLR	30.43	45	40	00	00	00	00	00	00
13	300	3	12	CLR	30.39	54	45	00	00	00	00	00	00
14	305	5	12	CLR	30.38	60	50	00	00	00	00	00	00
15	305	2	10	CLR	30.37	60	50	00	00	00	00	00	00
16	300	2	10	CLR	30.37	61	50	00	00	00	00	00	00
17	00	00	10	CLR	30.36	59	49	00	00	00	00	00	00
18	00	00	10	CLR	30.36	59	49	00	00	00	00	00	00
19	00	00	10	CLR	30.36	61	49	00	00	00	00	00	00
20	00	00	10	CLR	30.36	60	50	00	00	00	00	00	00
21	00	00	10	CLR	30.35	59	48	00	00	00	00	00	00
22	00	00	10	CLR	30.34	51	44	00	00	00	00	00	00
23	00	00	8	CLR	30.34	44	42	00	00	00	00	00	00
24	00	00	9	CLR	30.34	45	40	00	00	00	00	00	00

POSITION ZONE TIME
0800
L BY
λ BY
1200
L BY
λ BY
2000
L BY
λ BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to pier 10, berth 104, U.S. Naval Station, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. U.S.S. Notable (MSO 460) is moored outboard to port. SOPA is COMINLANT at U.S. Naval Base, Charleston, S.C. Ships present include various units of U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving miscellaneous services from the pier. Ship is in material condition Yoke. Ship is in condition of W readiness ~~IV~~ V.

W J Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew on station. Absentees: none.

W J Holloway
LTJG, USN

APPROVED: J Hawkins U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO519) SATURDAY 3 DECEMBER, 1960
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0904 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL. ~~0930 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.~~ DLB DLB

D L Boyer
ENS, USN

12-16 MOORED AS BEFORE.

D L Boyer
ENS, USN

16-20 MOORED AS BEFORE

D L Boyer
ENS, USN

20-24 MOORED AS BEFORE.

D L Boyer
ENS, USN

APPROVED:
L Hawkins, U. S. N. COMMANDING

EXAMINED:
W Griffin, LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 4 (Date) DECEMBER (Month), 1960

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	2	8	CLR	30.34	45	40	00	00	00	00	00	00
02	320	2	8	CLR	30.33	45	44	00	00	00	00	00	00
03	300	2	8	CLR	30.33	45	40	00	00	00	00	00	00
04	280	3	8	CLR	30.33	45	40	00	00	00	00	00	00
05	280	3	8	CLR	3034	45	40	00	00	00	00	00	00
06	280	4	8	CLR	30.34	44	40	00	00	00	00	00	00
07	280	3	8	CLR	30.34	43	40	00	00	00	00	00	00
08	340	2	10	CLR	30.34	45	40	00	00	00	00	00	00
09	340	4	10	CLR	30.34	50	44	00	00	00	00	00	00
10	340	6	10	CLR	3035	55	46	00	00	00	00	00	00
11	330	5	10	CLR	3035	58	49	00	00	00	00	00	00
12	330	4	10	CLR	30.35	61	50	00	00	00	00	00	00
13	330	4	10	CLR	30.35	63	51	00	00	00	00	00	00
14	335	4	10	CLR	3032	67	55	00	00	00	00	00	00
15	335	4	10	CLR	3032	66	55	00	00	00	00	00	00
16	300	3	10	CLR	30.30	62	55	00	00	00	00	00	00
17	300	2	10	CLR	3030	58	55	00	00	00	00	00	00
18	00	00	10	CLR	30.30	57	55	00	00	00	00	00	00
19	00	00	10	CLR	30.32	54	50	00	00	00	00	00	00
20	00	00	10	CLR	30.32	54	50	00	00	00	00	00	00
21	00	00	10	CLR	30.31	52	50	00	00	00	00	00	00
22	00	00	10	CLR	30.30	49	45	00	00	00	00	00	00
23	00	00	10	CLR	30.30	48	45	00	00	00	00	00	00
24	240	2	8	CLR	30,30	48	45	00	00	00	00	00	00

POSITION	ZONE	TIME
0800		
L. ____ BY ____		
λ. ____ BY ____		
1200		
L. ____ BY ____		
λ. ____ BY ____		
2000		
L. ____ BY ____		
λ. ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L. ____
MID. λ. ____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 104, PIER 10, U.S NAVAL STATION, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. MOORED IN A NEST OF 2 SHIPS WITH USS NOTABLE (MSO 460) MOORED OUTBOARD TO PORT. SOPA IS COMINCANT AT U.S NAVAL BASE, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC FLEET, RESERVE FLEET, AND MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

D L Boye
ENS USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW ON STATION. ABSENTEES: NONE.

D L Boye
ENS USN

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SUNDAY (Day) 4 (Date) DECEMBER (Month), 1960

08-12 MOORED AS BEFORE. 0920 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D L Boyer
ENS. USN

12-16 MOORED AS BEFORE

D L Boyer
ENS. USN

16-20 MOORED AS BEFORE

D L Boyer
ENS. USN

20-24 MOORED AS BEFORE

D L Boyer
ENS. USN

APPROVED: L A Hawkins U. S. N. COMMANDING

EXAMINED: W E Griffin, LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

☆ U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE MONDAY (Day) 5 (Date) DECEMBER (Month), 1960

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	237	2	8	CLR	~~30.30~~ 30.30	48	45	00	00	00	00	00	00
02	237	2	8	CLR	30.30	48	44	00	00	00	00	00	00
03	235	2	8	CLR	30.31	47	45	00	00	00	00	00	00
04	000	2	8	CLR	30.30	46	44	00	00	00	00	00	00
05	245	6	8	CLR	30.30	46	43	00	00	00	00	00	00
06	245	3	8	CLR	30.30	45	42	00	00	00	00	00	00
07	245	3	9	CLR	30.30	45	43	00	00	00	00	00	00
08	245	2	10	CLR	30.32	52	51	00	00	00	00	00	00
09	245	5	10	CLR	30.32	52	47	00	00	00	00	00	00
10	240	2	10	CLR	30.33	65	55	00	00	00	00	00	00
11	235	2	10	CLR	30.30	65	54	00	00	00	00	00	00
12	240	2	10	CLR	30.30	68	55	00	00	00	00	00	00
13	240	2	10	CLR	30.29	69	56	00	00	00	00	00	00
14	240	2	10	CLR	30.28	65	52	00	00	00	00	00	00
15	000	3	10	CLR	30.26	65	52	00	00	00	00	00	00
16	210	2	10	CLR	30.26	64	54	00	00	00	00	00	00
17	210	2	10	CLR	30.27	64	54	00	00	00	00	00	00
18	210	2	10	CLR	30.27	64	54	00	00	00	00	00	00
19	210	2	10	CLR	30.30	64	54	00	00	00	00	00	00
20	210	2	10	CLR	30.28	57	52	00	00	00	00	00	00
21	210	7	10	CLR	30.27	54	47	00	00	00	00	00	00
22	210	6	10	CLR	30.28	57	48	00	00	00	00	00	00
23	210	7	10	CLR	30.29	49	46	00	00	00	00	00	00
24	210	6	10	CLR	30.29	48	46	00	00	00	00	00	00

RHB

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 104, PIER 10, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO 460) MOORED OUTBOARD TO ~~BD~~ PORT. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS AND MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKESET.

DRB DRB

D L Boyer
ENS, USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE.

D L Boyer
ENS, USN

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO519) Mon (Day) 5 (Date) Dec. (Month), 1960

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: L. Hawkins U. S. N. COMMANDING

EXAMINED: W. Fegin, LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

RRB

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Tues, (Day) ~~7~~ 6 (Date) Dec. (Month), 1960

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	210	7	10	clr	30.29	48	42	0	0	0	0	0	0
02	210	7	10	clr	30.29	48	39	0	0	0	0	0	0
03	210	7	10	clr	30.28	46	40	0	0	0	0	0	0
04	330	5	10	clr	30.27	46	42	0	0	0	0	0	0
05	320	5	10	clr	30.26	47	44	0	0	0	0	0	0
06	320	2	10	clr	30.26	47	44	0	0	0	0	0	0
07	320	2	10	clr	30.26	46	44	0	0	0	0	0	0
08	320	2	10	clr	30.26	55	48	0	0	0	0	0	0
09	320	3	12	clr	30.27	58	50	0	0	0	0	0	0
10	320	3	12	clr	30.28	62	53	0	0	0	0	0	0
11	320	4	12	clr	30.29	65	57	0	0	0	0	0	0
12	320	3	12	clr	30.26	70	58	0	0	0	0	0	0
13	0	0	12	clr	30.24	71	58	0	6	0	0	0	0
14	0	0	12	clr	30.22	71	58	0	0	0	0	0	0
15	175	3	10	clr	30.19	70	59	0	0	0	0	0	0
16	160	5	10	clr	30.18	65	58	0	0	0	0	0	0
17	150	8	10	clr	30.18	63	57	0	0	0	0	0	0
18	330	8	10	clr	30.16	57	52	0	0	0	0	0	0
19	330	8	10	clr	30.16	52	48	0	0	0	0	0	0
20	230	6	10	clr	30.16	52	49	0	0	0	0	0	0
21	230	6	8	clr	30.15	55	52	0	0	0	0	0	0
22	230	6	7	clr	30.14	55	52	0	0	0	0	0	0
23	230	4	7	clr	30.14	54	52	0	0	0	0	0	0
24	230	3	5	clr	30.12	53	49	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L.	BY	
λ	BY	
1200		
L.	BY	
λ	BY	
2000		
L.	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L.
MID. λ.

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to berth 104, pier 10, U.S. Naval Station, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. USS Notable (MSO 460) is moored outboard to port. SOPA is COMINCANT at U.S. Naval Station. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving miscellaneous services from the pier. Ship is in condition of readiness V with material condition Yoke set.

W J Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: Prewitt, B.D.; FN 521 31 14 USN and ~~Frai~~ Fader, D. R. SA, 497 70 71, USN since 0730 this date.

W J Holloway
LTJG, USN

APPROVED: L H Hawkins U.S.N. COMMANDING

EXAMINED: W T Griffin, LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) TUESDAY (Day) 6 (Date) DECEMBER (Month), 1960

08-12 MOORED AS BEFORE 0900 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D L Boyer
ENS, USN

12-16 MOORED AS BEFORE 1249 PREWITT, B.D, 521 31 14, FN, USN AND FADER, D.R, 497-70-21 SN, USN, AWOL SINCE 0730 THIS DATE RETURNED TO NAVAL CUSTODY ON BOARD,

D L Boyer
ENS, USN

16-20 MOORED AS BEFORE

D L Boyer
ENS USN

20-24 MOORED AS BEFORE,

D L Boyer
ENS, USN

APPROVED:
L H Hawkins U.S.N. COMMANDING

EXAMINED:
LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O—403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 7 (Date) DECEMBER (Month), 1960

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	286	4	5	clr	30.11	51	47	0	0	0	0	0	0
02	286	4	7	clr	30 10	50	46	0	0	0	0	0	0
03	280	4	7	clr	30 10	48	46	0	0	0	0	0	0
04	280	4	8	clr	30 10	48	44	0	0	0	0	0	0
05	280	3	8	clr	30 09	48	42	0	0	0	0	0	0
06	280	3	9	clr	30 09	48	42	0	0	0	0	0	0
07	260	4	9	clr	3010	48	43	0	0	0	0	0	0
08	260	3	10	clr	3010	57	48	0	0	0	0	0	0
09	260	2	10	clr	30 10	60	50	0	0	0	0	0	0
10	260	4	10	clr	30 08	65	58	0	0	0	0	0	0
11	0	0	10	clr	30 04	68	55	0	0	0	0	0	0
12	0	0	10	clr	02	74	60	0	0	0	0	0	0
13	0	0	10	clr	3000	74	60	0	0	0	0	0	0
14	0	0	10	clr	3000	74	60	0	0	0	0	0	0
15	295	1	10	clr	3000	73	60	0	0	0	0	0	0
16	0	0	10	clr	3000	69	61	0	0	0	0	0	0
17	0	0	10	clr	3000	68	61	0	0	0	0	0	0
18	0	0	10	clr	3000	70	70	0	0	0	0	0	0
19	0	0	10	clr	3000	63	58	0	0	0	0	0	0
20	0	0	10	clr	3000	63	50	0	0	0	0	0	0
21	120	2	10	clr	3000	62	50	0	0	0	0	0	0
22	0	0	10	clr	3000	62	50	0	0	0	0	0	0
23	0	0	10	clr	3000	60	50	0	0	0	0	0	0
24	0	0	10	clr	2998	60	50	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 104, PIER 10, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. DRB

D L Boyer
ENS. USN

04-08 MOORED AS BEFORE 0750 MUSTERED THE CREW AT QUARTERS, ABSENTEES: NONE.

D L Boyer
ENS. USN

APPROVED: L Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 7 (Date) DECEMBER (Month), 19 60

08-12 MOORED AS BEFORE. 0803 CONDUCTED DAILY INSPECTION OF MAGAZINES AND SMOKELESS ~~POWER~~ POWDER SAMPLES. CONDITIONS NORMAL. 0930 THE COMMANDING RW OFFICER HELD MAST AND IMPOSED NON-JUDICIAL PUNISHMENT AS FOLLOWS: FADER, DONALD R. SA 479-70-71 USN AND PREWITT, BOBBY D. 521-31-14, USN FN, SIX (6) DAYS RESTRICTION TO THE LIMITS OF THE SHIP. FOR VIOLATION OF ARTICLE 86 OF UCMJ. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

R Wilkinson
ENS USNR

12-16 MOORED AS BEFORE.

R Wilkinson
ENS USNR

16-20 MOORED AS BEFORE

R Wilkinson
ENS USNR

20-24 MOORED AS BEFORE.

R Wilkinson
ENS USNR

APPROVED: L H Hawkins U. S. N. COMMANDING

EXAMINED: , LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Thursday (Day) 8 (Date) December (Month), 1960

AT/~~PASSAGE FROM~~ Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	0	0	10	CLR	29.98	57	54	0	0	0	0	0	0
02	0	0	10	CLR	30.00	57	53	0	0	0	0	0	0
03	0	0	10	CLR	30.00	56	53	0	0	0	0	0	0
04	325	2	10	SCT	29.99	58	52	6	1600	CU/CI	0	0	0
05	325	2	10	OVC	29.99	56	50	10	1600	CU/CI	0	0	0
06	010	2	10	OVC	30.01	56	50	10	1600	CU/CI	0	0	0
07	040	4	10	OVC	30.01	56	49	10	1600	CU/CI	0	0	0
08	060	6	10	OVC	30.02	56	48	10	20000	CI	0	0	0
09	060	6	10	OVC	30.04	57	47	10	20000	CI	0	0	0
10	060	5	10	OVC	30.04	59	48	10	20000	CI	0	0	0
11	060	5	10	OVC	30.04	60	50	10	20000	CI	0	0	0
12	060	2	10	OVC	30.02	64	58	10	4500	AC/CI	0	0	0
13	060	4	10	OVC	30.01	55	58	10	4500	AC/CI	0	0	0
14	060	4	8	OVC	30.01	60	49	10	4500	AC/CI	0	0	0
15	050	4	8	OVC	30.00	60	49	10	1600	NS/AC	0	0	0
16	050	3	8	OVC	30.00	54	45	10	1600	NS/ST	0	0	0
17	050	3	8	OVC	30.00	57	46	10	1600	NS/ST	0	0	0
18	060	2	8	OVC	30.02	56	46	10	1600	NS/ST	0	0	0
19	060	2	8	OVC	30.04	56	46	10	1000	NS/ST	0	0	0
20	060	3	8	L	30.03	56	46	10	1000	NS	0	0	0
21	060	3	8	L	30.04	55	46	10	1000	NS	0	0	0
22	060	3	8	L	30.03	55	45	10	1000	NS	0	0	0
23	060	5	8	L	30.03	54	45	10	1000	NS	0	0	0
24	060	5	8	OVC	30.02	54	45	10	1000	NS	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to Berth 104, Pier 10, U.S. Naval Station, Charleston S.C. with standard mooring lines doubled, and wire preventers out fore and aft. Moored in a nest of two ships with USS Notable (MSO 460) moored outboard to port. SOPA is Cominlant at U.S. Naval Station, Charleston, S.C. Ships present include various units of U.S. Atlantic and Reserve Fleets plus miscellaneous yard and district craft. Condition of readiness V and material condition Yoke set. Receiving miscellaneous services from the pier.

Wilkinson
ENS USNR

04-08 Moored as before. 0750 mustered crew at quarters. Absentees: none

Wilkinson
ENS USNR

APPROVED: Hawkins U.S.N. COMMANDING

EXAMINED: , USN U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Thurs. (Day) 8 (Date) Dec. (Month), 1960

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
LTJG, USN

12-16 Moored as before. 1500 Mustered the crew at quarters for Captains personnel inspection. 1505 Commenced Captains personnel inspection. 1540 Secured from Captains personnel inspection.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: Hawkins U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Fri. (Day) 9 (Date) Dec. (Month), 1960

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	040	5	8	OVC	30.01	40	34	10	1600 ~~NS/Cl~~	NS/Cl	0	0	0
02	040	5	8	OVC	30.01	41	34	10	1600	NS/Cl	0	0	0
03	040	5	8	OVC	30.01	41	36	10	1600	NS/Cl	0	0	0
04	040	8	8	OVC	30.03	43	38	10	1600	NS/AC	0	0	6
05	040	8	8	OVC	30.07	47	40	10	1600	NS/AC	0	0	0
06	040	8	8	OVC	30.10	46	40	10	1600	NS/AC	0	0	0
07	010	10	8	BKN	30.13	45	40	8	4500	AC	0	0	0
08	010	10	8	BKN	30.18	44	38	8	4500	AC	0	0	0
09	040	10	8	BKN	30.22	44	38	7	4500	AC	0	0	0
10	050	10	9	BKN	30.26	44	38	7	4500	AC	0	0	0
11	030	8	9	SCT	30.26	45	37	4	1600	CU/AC	0	0	0
12	050	8	9	SCT	30.28	45	38	5	1600	CU/AC	0	0	0
13	055	8	9	SCT	30.28	47	40	.6	1600	CU/AC	0	0	0
14	055	6	9	SCT	30.28	47	40	4	1600	CU/AC	0	0	0
15	055	6	8	SCT	30.26	47	42	4	1600	CU/AC	0	0	0
16	055	6	8	SCT	30.25	46	42	4	1600	CU/AC	0	0	0
17	055	8	7	SCT	30.25	46	41	4	1600	CU/Cl	0	0	0
18	010	10	7	SCT	30.25	48	40	3	1600	CU/Cl	0	0	0
19	005	12	7	SCT	30.24	48	39	2	1600	CU/Cl	0	0	0
20	350	12	7	CLR	30.24	44	38	0	0	0	0	0	0
21	350	8	8	CLR	30.24	42	37	0	0	0	0	0	0
22	350	6	8	CLR	30.24	41	37	0	0	0	0	0	0
23	355	4	8	CLR	30.23	41	36	6	0	0	0	0	0
24	355	4	8	CLR	30.22	41	36	6	0	0	0	0	0

POSITION ZONE TIME
0800
L. ____ BY ____
λ ____ BY NRB
1200
L. ____ BY ____
λ ____ BY ____
2000
L. ____ BY ____
λ ____ BY ____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES
MID. L ____
MID. λ ____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to pier 10, berth 104, U.S. Naval Station, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. USS Notable (MSO 460) is moored alongside to port. SOPA is COMMANDANT at U.S. Naval Station, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleet plus various yard and district craft. Ship is in condition of readiness ~~IV~~ III V with material condition Yoke set. Receiving miscellaneous services from the pier.

W J Holloway
LTJG, USN

04-08 Moored as before. 0750 mustered the crew at quarters. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED: ____ U.S.N. COMMANDING

EXAMINED: ____ LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 9 (Date) DECEMBER (Month), 1960

08-12 MOORED AS BEFORE 0959 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL. MADE WEEKLY ~~INSPECTION~~ TEST OF DLB MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY.

DLBoyer
LTJG, USN

12-16 MOORED AS BEFORE 1350 COMMANDING OFFICER'S MATERIAL INSPECTION COMMENCED. 1445 SECURED FROM MATERIAL INSPECTION

DLBoyer
LTJG USN

16-20 MOORED AS BEFORE

DLBoyer
LTJG USN

20-24 MOORED AS BEFORE.

DLBoyer
LTJG USN

APPROVED: LHHawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SATURDAY (Day) 10 (Date) DECEMBER (Month), 1960

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	350	6	8	CLR	30.22	40	37	0	0	0	0	0	0
02	350	6	8	SCT	30.22	40	36	2	4500	AC	0	0	0
03	350	6	8	SCT	30.22	40	36	6	4500	AC	0	0	0
04	350	6	8	BKN	30.21	42	38	9	4500	AC	0	0	0
05	340	8	8	OVC	30.20	42	38	10	4500	AC	0	0	0
06	340	10	8	OVC	30.20	42	38	10	1600	CU/AC	0	0	0
07	340	10	10	OVC	30.20	48	38	10	1600	CU/ST	0	0	0
08	345	10	10	OVC	30.19	48	38	10	1600	CU/ST	0	0	0
09	340	10	10	OVC	30.19	48	38	10	1600	CU/ST	0	0	0
10	335	10	10	SCT	30.18	48	38	6	1600	CU/ST	0	0	0
11	335	10	10	SCT	30.17	52	38	7	1600	CU/ST	0	0	0
12	340	10	10	BKN	30.15	55	38	9	4500	ST/CI	0	0	0
13	340	6	10	BKN	30.14	58	38	9	4500	ST/CI	0	0	0
14	340	4	10	BKN	30.14	60	44	9	4500	ST/CI	0	0	0
15	340	4	10	BKN	30.14	63	50	9	4500	ST/CI	0	0	0
16	340	4	10	OVC	30.14	63	54	10	4600	CI/ST	0	0	0
17	330	4	10	SCT	30.16	63	56	4	4500	CI/ST	0	0	0
18	330	4	10	CLR	30.16	65	56	0	0	0	0	0	0
19	230	4	10	CLR	30.16	64	55	0	0	0	0	0	0
20	230	4	10	CLR	30.16	61	53	0	0	0	0	0	0
21	230	4	10	CLR	30.17	60	53	0	0	0	0	0	0
22	230	4	8	CLR	30.17	54	48	0	0	0	0	0	0
23	230	4	8	CLR	30.17	52	46	0	0	0	0	0	0
24	230	4	8	CLR	30.17	52	46	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 104, PIER 10, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO 460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

D L Boyer
LTJG USN

04-08 MOORED AS BEFORE 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D L Boyer
LTJG USN

APPROVED: L Hawkins U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SATURDAY (Day) 10 (Date) DEC (Month), 1960

08-12 MOORED AS BEFORE 0840 CONDUCTED DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

TGWilkinson
LTJG USNR

12-16 MOORED AS BEFORE

TGWilkinson
LTJG USNR

16-20 MOORED AS BEFORE

TGWilkinson
LTJG USNR

20-24 MOORED AS BEFORE

TGWilkinson
LTJG USNR

APPROVED: LHHawkins U.S.N. COMMANDING

EXAMINED: WD Griffin, LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE SUNDAY (Day) 11 (Date) DECEMBER (Month), 19 60

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE DRY BULB	TEMPERATURE WET BULB	CLOUDS AMOUNT (Tenths)	CLOUDS HEIGHT	CLOUDS TYPE	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	230	4	10	CLR	30.~~08~~ 12	49	44	0	0	0	0	0	0
02	230	4	10	SCT	30.08	47	44	2	1600	CU/ST	0	0	0
03	230	6	10	SCT	30.04	47	44	6	1600	CU/ST	0	0	0
04	230	6	10	OVC	30.04	51	46	10	1600	NS/ST	0	0	0
05	230	6	10	OVC	30.00	57	47	10	1600	NS/ST	0	0	0
06	230	8	8	OVC	29.98	54	50	10	1600	NS	0	0	0
07	240	2	6	OVC	29.97	55	51	10	1600	NS	0	0	0
08	240	2	4	L	29.97	58	55	10	1600	NS	0	0	0
09	230	2	4	R	29.97	60	57	10	1600	NS	0	0	0
10	240	2	4	L	29.96	60	57	10	1600	NS	0	0	0
11	250	2	4	L	29.96	61	59	10	1000	NS	0	0	0
12	230	4	4	R	29.92	65	60	10	1000	NS	0	0	0
13	220	8	6	OVC	29.88	69	68	10	1000	NS	0	0	0
14	220	10	6	OVC	29.84	70	69	10	1000	NS	0	0	0
15	210	12	6	OVC	29.80	68	67	10	1000	NS	0	0	0
16	200	15	8	OVC	29.76	67	66	10	1000	NS	0	0	0
17	160	8	8	OVC	29.74	67	65	10	1000	NS/ST	0	0	0
18	120	10	8	OVC	29.70	67	65	10	1000	NS/ST	0	0	0
19	190	20	6	OVC	29.66	68	66	10	1600	NS/ST	0	0	0
20	210	15	4	OVC	29.60	68	66	10	1600	CU/ST	0	0	0
21	220	20	4	OVC	29.56	67	65	10	1600	CU/ST	0	0	0
22	260	20	4	BKN	29.56	63	57	9	1600	CU/ST	0	0	0
23	280	20	4	BKN	29.60	65	59	8	1500	ST/CI	0	0	0
24	280	15	10	CLR	29.64	57	49	0	0	0	0	0	0

POSITION	ZONE	TIME
0800 L ______ BY ______ λ ______ BY ______		
1200 L ______ BY ______ λ ______ BY ______		
2000 L ______ BY ______ λ ______ BY ______		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ______ (ZT) ______ (Date)
TO ______ (ZT) ______ (Date)
SET ______
DRIFT ______

POSITION BETWEEN FIXES

MID. L ______
MID. λ ______

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

~~08-12~~ 00-04 MOORED STARBOARD SIDE TO BERTH 104 PIER 10 WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE & AFT. MOORED IN A NEST OF TWO SHIPS, U.S.S. NOTABLE (MSO 460) MOORED OUTBOARD TO PORT. SOPA IS COMMANDANT AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEET PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. CONDITION OF READINESS V AND MATERIAL CONDITION YOKE SET. RW

RB Wilkinson
LTJG USNR

04-08 MOORED AS BEFORE. 0750 MUSTERED CREW ON STATION. ABSENTEES; NONE

RB Wilkinson
LTJG USNR

APPROVED: LH Hawkins U. S. N. COMMANDING

EXAMINED: , LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) ~~Mo~~ RW SUNDAY (Day) 11. (Date) Dec. (Month), 19 60

~~08~~-12 MOORED AS BEFORE. 0849 CONDUCTED DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

TG Wilkinson
LTJG USNR

12-16 MOORED AS BEFORE

TG Wilkinson
LTJG USNR

16-20 MOORED AS BEFORE

TG Wilkinson
LTJG USNR

20-24 MOORED AS BEFORE

TG Wilkinson
LTJG USNR

APPROVED: L Hawkins U. S. N. COMMANDING

EXAMINED: , LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O—403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 579) ZONE DESCRIPTION +5 DATE Monday (Day) 12 (Date) December (Month), 19 60

AT/~~PASSAGE FROM~~ Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	270	20	8	CLR	29.70	48	39	0	0	0	0	0	0
02	280	25	8	CLR	29.70	47	43	0	0	0	0	0	0
03	280	18	8	CLR	29.70	46	42	0	0	0	0	0	0
04	280	15	8	CLR	29.72	45	41	0	0	0	0	0	0
05	280	10	8	CLR	29.72	45	40	0	0	0	0	0	0
06	280	10	8	CLR	29.72	44	40	0	0	0	0	0	0
07	280	6	8	CLR	29.76	43	40	0	0	0	0	0	0
08	280	5	10	CLR	29.75	48	42	0	0	0	0	0	0
09	300	5	10	CLR	29.77	48	43	0	0	0	0	0	0
10	300	5	10	CLR	29.79	49	44	0	0	0	0	0	0
11	300	5	10	CLR	29.80	54	45	0	0	0	0	0	0
12	280	5	10	SCT	29.80	52	46	2	1600	CU	0	0	0
13	280	5	10	SCT	29.80	54	49	4	1600	CU	0	0	0
14	270	5	10	BKN	29.82	52	45	9	1600	CU	0	0	0
15	270	5	10	BKN	29.84	52	46	9	1600	CU	0	0	0
16	270	5	10	SCT	29.86	48	42	6	1600	CU	0	0	0
17	270	5	10	SCT	29.90	48	42	2	1600	CU	0	0	0
ERB 18	280	5	10	CLR	29.90	48	~~40~~ 42	0	0	0	0	0	0
19	290	5	10	CLR	29.92	48	42	0	0	0	0	0	0
20	300	5	10	CLR	29.96	44	38	0	0	0	0	0	0
21	300	8	10	CLR	30.00	40	32	0	0	0	0	0	0
22	300	10	10	CLR	30.04	38	32	0	0	0	0	0	0
23	300	10	10	CLR	30.09	38	34	0	0	0	0	0	0
24	300	10	10	CLR	30.11	35	31	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L. ______ BY ______		
λ ______ BY ______		
1200		
L. ______ BY ______		
λ ______ BY ______		
2000		
L. ______ BY ______		
λ ______ BY ______		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ______ (ZT) ______ (Date)
TO ______ (ZT) ______ (Date)
SET ______
DRIFT ______

POSITION BETWEEN FIXES

MID. L ______
MID. λ ______

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to Berth 104, Pier 10 with standard mooring lines doubled and wire preventers out fore and aft. Moored in a nest of two ships with U.S.S. Notable (MSO 460) moored outboard to port. SOPA is Cominlant at the U.S. Naval Station, Charleston, S.C. Ships present include various units of U.S. Atlantic and ~~Sixth Fleets~~ Reserve Fleets plus miscellaneous yard and district craft. Receiving miscellaneous services from the pier. Condition of readiness V and material condition Yoke set. TW

RG Wilkinson
LTJG USNR

04-08 Moored as before. 0700 Quarters for muster. Absentees: None

RG Wilkinson
LTJG USNR

APPROVED: RHawkins U.S.N. COMMANDING

EXAMINED: W. Griffin, LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 12 (Date) DECEMBER (Month), 1960

08-12 MOORED AS BEFORE 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D L Boyer
LTJG USN

12-16 MOORED AS BEFORE

D L Boyer
LTJG USN

16-20 MOORED AS BEFORE.

D L Boyer
LTJG USN

20-24 MOORED AS BEFORE.

D L Boyer
LTJG USN

APPROVED: D A Hawkins U. S. N. COMMANDING

EXAMINED: W H [illegible], LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE TUESDAY (Day) 13 (Date) DECEMBER (Month), 1960

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	235	10	10	CLR	30.11	34	30	0	0	0	0	0	0
02	235	5	10	CLR	30.11	36	31	0	0	0	0	0	0
03	270	5	10	CLR	30.11	33	30	0	0	0	0	0	0
04	270	5	10	CLR	30.14	33	29	0	0	0	0	0	0
05	270	5	10	CLR	30.16	33	29	0	0	0	0	0	0
06	270	5	10	CLR	30.18	33	29	0	0	0	0	0	0
07	270	5	10	CLR	30.20	30	26	0	0	0	0	0	0
08	250	15	10	CLR	30.25	30	25	0	0	0	0	0	0
09	300	15	10	CLR	30.28	30	25	0	0	0	0	0	0
10	350	15	10	CLR	30.30	30	27	0	0	0	0	0	0
11	350	12	10	CLR	30.29	35	30	0	0	0	0	0	0
12	340	15	10	CLR	30.25	36	31	0	0	0	0	0	0
13	330	15	10	CLR	30.25	37	33	0	0	0	0	0	0
14	330	15	10	CLR	30.24	39	35	0	0	0	0	0	0
15	330	15	10	CLR	30.24	39	35	0	0	0	0	0	0
16	330	12	10	CLR	30.25	40	36	0	0	0	0	0	0
17	335	14	10	CLR	30.26	39	32	0	0	0	0	0	0
18	335	14	10	CLR	30.26	39	33	0	0	0	0	0	0
19	350	16	10	CLR	30.27	38	32	0	0	0	0	0	0
20	000	10	10	CLR	30.28	35	32	0	0	0	0	0	0
21	020	8	10	CLR	30.28	33	30	0	0	0	0	0	0
22	020	8	10	CLR	30.28	32	30	0	0	0	0	0	0
23	040	8	10	CLR	30.28	31	29	0	0	0	0	0	0
24	060	8	10	CLR	30.28	31	29	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 104, PIER 10, U.S. NAVAL BASE CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO 460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

D L Boyer
LTJG USN

04-08 MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D L Boyer
LTJG USN

APPROVED: D L Hawkins U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) Tuesday (Day) 13 (Date) Dec. (Month), 19 60

08-12 MOORED AS BEFORE. 1000 CONDUCTED DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES.

TGWilkinson
LTJG USNR

12-16 MOORED AS BEFORE.

TGWilkinson
LTJG USNR

16-20 MOORED AS BEFORE.

TGWilkinson
LTJG USNR

20-24 MOORED AS BEFORE

TGWilkinson
LTJG USNR

APPROVED:
Hawkins U.S.N. COMMANDING

EXAMINED:
, LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O—403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE WEDNESDAY (Day) 14 (Date) DECEMBER (Month), 19 60

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	065	12	8	CLR	30.25	37	31	0	0	0	0	0	0
02	065	10	8	CLR	30.25	36	30	0	0	0	0	0	0
03	065	10	8	CLR	30.24	37	31	0	0	0	0	0	0
04	070	10	8	CLR	30.24	34	29	0	0	0	0	0	0
05	065	10	8	CLR	30.22	33	28	0	0	0	0	0	0
06	090	8	10	CLR	30.21	34	29	0	0	0	0	0	0
07	110	8	10	CLR	30.21	35	30	0	0	0	0	0	0
08	140	8	10	CLR	30.22	40	37	0	0	0	0	0	0
09	170	5	10	CLR	30.22	43	37	0	0	0	0	0	0
10	190	5	10	SCT	30.22	47	40	4	1600	CU	0	0	0
11	210	5	10	SCT	30.21	49	41	6	1600	CU	0	0	0
12	220	5	10	SCT	30.21	49	41	6	1600	CU	0	0	0
13	220	5	10	BKN	30.22	49	44	9	1600	CU	0	0	0
14	220	5	10	BKN	30.21	49	44	9	1600	CU	0	0	0
15	200	4	10	OVC	30.20	50	44	10	1600	CU/NS	0	0	0
16	200	4	8	OVC	30.16	52	43	10	1680	CU/ST	0	0	0
17	180	4	8	OVC	30.12	50	43	10	1600	CU/ST	0	0	0
18	180	4	8	OVC	30.10	49	41	10	1600	NS/ST	0	0	0
19	170	4	8	OVC	30.08	47	42	10	1200	NS/ST	0	0	0
20	175	4	8	OVC	30.08	48	42	10	1200	NS/ST	0	0	0
21	175	4	8	OVC	30.08	48	42	10	1200	NS/ST	0	0	0
22	175	4	8	OVC	30.08	49	43	10	1200	NS/ST	0	0	0
23	175	4	8	OVC	30.11	49	41	10	1200	NS/ST	0	0	0
24	170	4	8	OVC	30.10	49	41	10	1200	NS/ST	0	0	0

POSITION	ZONE	TIME
0800		
L.	BY	
λ.	BY	
1200		
L.	BY	
λ.	BY	
2000		
L.	BY	
λ.	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L.
MID. λ.

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 104, PIER 10, U.S. NAVAL STATION, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO 460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL STATION, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. CONDITION OF READINESS V AND MATERIAL CONDITION YOKE SET.

TG Wilkinson
LTJG USNR

04-08 MOORED AS BEFORE. 0700 QUARTERS FOR MUSTER. ABSENTEES: NONE

TG Wilkinson
LTJG USNR

APPROVED: L.L. Hawkins U. S. N. COMMANDING

EXAMINED: , LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Wed (Day) 14 (Date) Dec (Month), 1960

08-12 Moored as before. 1000 made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal. COMINDIV 85 shifted ~~ing~~ PENNANT to U.S.S. Notable (MSO 460)

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: L. F. Hawkins U. S. N. COMMANDING

EXAMINED: [illegible], LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Thurs (Day) 15 (Date) Dec (Month), 1960

AT/~~PASSAGE FROM~~ Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	175	4	8	ovc	30.08	47	40	10	1200	NS	0	0	0
02	175	4	8	ovc	30.06	45	40	10	1200	NS	0	0	0
03	175	4	8	ovc	30.04	47	40	10	1200	NS	0	0	0
04	175	4	8	ovc	30.04	45	40	10	1200	NS	0	0	0
05	175	4	5	ovc	30.04	46	39	10	1200	NS	0	0	0
06	175	4	5	ovc	30.04	46	40	10	1200	NS	0	0	0
07	180	2	5	ovc	30.02	47	41	10	1000	NS	0	0	0
08	180	2	7	ovc	30.02	49	42	10	1000	NS	0	0	0
09	180	2	8	ovc	30.02	51	45	10	1000	NS	0	0	0
10	180	2	7	R	30.00	50	45	10	1000	NS	0	0	0
11	180	2	5	R	29.96	49	45	10	1000	NS	0	0	0
12	150	2	5	R	29.92	47	43	10	800	NS	0	0	0
13	150	2	5	R	29.89	47	43	10	800	NS	0	0	0
14	120	2	5	R	29.84	47	43	10	800	NS	0	0	0
15	110	2	4	R	29.80	45	44	10	800	NS	0	0	0
16	110	4	4	R	29.75	44	43	10	800	NS	0	0	0
17	110	6	4	R	29.74	44	42	10	800	NS	0	0	0
18	100	6	4	R	29.72	44	42	10	800	NS	0	0	0
19	100	8	4	R	29.74	44	42	10	800	NS	0	0	0
20	100	8	4	R	29.73	45	43	10	1000	NS	0	0	0
21	100	10	4	R	29.73	45	43	10	1000	NS	0	0	0
22	100	8	4	R	29.74	46	44	10	1000	NS	0	0	0
23	100	10	4	R	29.73	46	~~45~~ 45	10	1000	NS	0	0	0
24	100	10	4	R	29.73	46	45	10	1000	NS	0	0	0

POSITION	ZONE	TIME
0800		
L ______	BY ______	
λ ______	BY ______	
1200		
L ______	BY ______	
λ ______	BY ______	
2000		
L ______	BY ______	
λ ______	BY ______	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ______ (ZT) ______ (Date)
TO ______ (ZT) ______ (Date)
SET ______
DRIFT ______

POSITION BETWEEN FIXES

MID. L ______
MID. λ ______

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to pier 10, berth 104, U.S. Naval Base, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. USS Notable (MSO 460) is moored outboard to port. SOPA is Comsixnavdist at U.S. Naval Base, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Receiving miscellaneous services from the pier. Ship is in condition of readiness V. Material condition Yoke is set.

W. Holloway
LTJG, USN

04-08 Moored as before. 0700 Mustered the crew at quarters. Absentees: none

W. Holloway
LTJG, USN

APPROVED: L.H. Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO519) THURSDAY (Day) 15 (Date) DECEMBER (Month), 1960

0900 COMMENCED ANNUAL SUPPLY INSPECTION

08-12 MOORED AS BEFORE. 1055 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES, CONDITIONS NORMAL 1145 SECURED FROM SUPPLY INSPECTION. DLB

D L Boyer
LTJG USN

12-16 MOORED AS BEFORE

D L Boyer
LTJG USN

16-20 MOORED AS BEFORE

D L Boyer
LTJG USN

20-24 MOORED AS BEFORE

D L Boyer
LTJG USN

APPROVED: L. L. Hawkins U.S.N. COMMANDING

EXAMINED: W E [illegible], LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 16 (Date) DECEMBER (Month), 1960

AT/PASSAGE FROM CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	10	2	R	29.72	46	43	10	1200	NS	0	0	0
02	100	6	4	R	29.72	44	41	10	1200	NS	0	0	0
03	090	11	6	R	29.74	44	35	10	1200	NS	0	0	0
04	090	4	6	OVC	29.80	45	41	10	1400	NS/AC	0	0	0
05	090	5	6	OVC	29.82	45	42	10	1600	NS/AC	0	0	0
06	105	4	6	BKN	29.84	45	42	9	1600	NS/AC	0	0	0
07	095	4	6	BKN	29.85	46	42	9	1600	NS/AC	0	0	0
08	150	4	6	SCT	29.87	46	42	6	1600	CU/AC	0	0	0
09	290	4	8	SCT	29.88	46	42	4	1600	CU/AC	0	0	0
10	290	4	10	SCT	29.88	45	42	4	1600	CU/AC	0	0	0
11	300	4	10	SCT	29.92	45	42	5	1600	CU	0	0	0
12	300	4	10	SCT	29.91	50	45	6	1600	CU	0	0	0
13	300	8	10	SCT	29.91	52	45	4	1600	CU	0	0	0
14	300	8	10	SCT	29.93	51	45	2	1600	CU	0	0	0
15	300	8	10	CLR	29.94	52	45	0	0	0	0	0	0
16	300	8	10	CLR	29.96	52	45	0	0	0	0	0	0
17	290	8	10	CLR	29.98	50	43	0	0	0	0	0	0
18	285	6	10	CLR	29.99	49	41	0	0	0	0	0	0
19	285	6	10	CLR	30.00	48	40	0	0	0	0	0	0
20	280	6	10	CLR	30.04	47	40	0	0	0	0	0	0
21	280	6	10	CLR	30.04	46	40	0	0	0	0	0	0
22	280	6	10	CLR	30.06	45	39	0	0	0	0	0	0
23	280	6	8	CLR	30.08	44	39	0	0	0	0	0	0
24	300	4	8	CLR	30.10	42	38	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH 104, PIER 10, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. MOORED IN A NEST OF TWO SHIPS WITH USS NOTABLE (MSO 460) MOORED OUTBOARD TO PORT. SOPA IS COMINLANT AT U.S. NAVAL BASE, SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES ~~FUEL AND WATER~~ FROM THE PIER. DLB
SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET ~~SET~~. DLB

DLBoyer
LTJG, USN

04-08 MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS ABSENTEES: NONE.

DLBoyer
LTJG, USN

APPROVED: L L Hawkins U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) FRIDAY (Day) 16 (Date) DEC. (Month), 1960

08-12 MOORED AS BEFORE. 0840 COMMANDING OFFICER DEPARTED ON 12 DAYS ANNUAL LEAVE. 1146 CONDUCTED DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLING SYSTEM. TEST SATISFACTORY.

R Wilkinson
LTJG USNR

12-16 MOORED AS BEFORE

R Wilkinson
LTJG USNR

16-20 MOORED AS BEFORE.

R Wilkinson
LTJG USNR

20-24 MOORED AS BEFORE

R Wilkinson
LTJG USNR

APPROVED: L Hawkins U. S. N. COMMANDING

EXAMINED: , LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Saturday (Day) 17 (Date) December (Month), 1960

AT/~~PASSAGE FROM~~ Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	300	5	10	CLR	30.11	40	36	0	0	0	0	0	0
02	300	5	10	CLR	30.10	40	35	0	0	0	0	0	0
03	300	5	10	CLR	30.10	40	34	0	0	0	0	0	0
04	280	5	8	CLR	30.12	39	34	0	0	0	0	0	0
05	280	5	8	CLR	30.13	38	33	0	0	0	0	0	0
06	280	4	8	CLR	30.15	37	33	0	0	0	0	0	0
07	280	4	8	CLR	30.18	36	32	0	0	0	0	0	0
08	280	4	8	CLR	30.21	42	35	0	0	0	0	0	0
09	280	4	9	CLR	30.22	45	36	0	0	0	0	0	0
10	280	2	9	CLR	30.24	45	36	0	0	0	0	0	0
11	280	2	10	CLR	30.24	45	37	0	0	0	0	0	0
12	280	2	10	CLR	30.22	46	38	0	0	0	0	0	0
13	285	2	10	CLR	30.20	50	42	0	0	0	0	0	0
14	285	6	10	CLR	30.17	55	45	0	0	0	0	0	0
15	285	6	10	CLR	30.15	55	45	0	0	0	0	0	0
16	285	4	10	CLR	30.14	55	50	0	0	0	0	0	0
17	285	4	10	CLR	30.13	57	53	0	0	0	0	0	0
18	285	4	7	CLR	30.13	53	46	0	0	0	0	0	0
19	280	2	7	CLR	30.17	50	43	0	0	0	0	0	0
20	280	2	7	CLR	30.20	47	43	0	0	0	0	0	0
21	280	2	7	CLR	30.20	47	43	0	0	0	0	0	0
22	285	4	7	CLR	30.24	45	42	0	0	0	0	0	0
23	285	4	7	CLR	30.24	43	40	0	0	0	0	0	0
24	285	2	7	CLR	30.22	45	39	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L ______ BY ______		
λ ______ BY ______		
1200		
L ______ BY ______		
λ ______ BY ______		
2000		
L ______ BY ______		
λ ______ BY ______		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ______ (ZT) ______ (Date)
TO ______ (ZT) ______ (Date)
SET ______
DRIFT ______

POSITION BETWEEN FIXES

MID. L ______
MID. λ ______

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored ~~as~~ starboard side to Berth 104 Pier 10 at U.S. Naval Base [illegible] Charleston, S.C. with standard mooring lines doubled and wire preventers out fore and aft. SOPA is COMINLANT in U.S. Naval Station, Charleston, S.C. Moored in a nest of two ships with USS Notable (MSO 460) moored outboard to port. Ships present include various units of U.S. Atlantic and Reserve Fleets plus miscellaneous yard and district craft. Condition of Readiness V and material condition Yoke set.

T G Wilkinson
LTJG USNR

04-08 Moored as before. 0750 mustered crew at quarters. Absentees: none

T G Wilkinson
LTJG USNR

APPROVED: L H Hawkins U.S. N. COMMANDING

EXAMINED: W T [illegible], LTJG U.S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sat. (Day) 17 (Date) Dec. (Month), 1960

08-12 Moored as before. 1000 made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J Holloway
LTJG, USN

12-16 Moored as before.

W. J Holloway
LTJG, USN

16-20 Moored as before.

W. J Holloway
LTJG, USN

20-24 Moored as before.

W. J Holloway
LTJG, USN

APPROVED: D Hawkins U. S. N. COMMANDING

EXAMINED: W D Griffin, LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Sun. (Day) 18 (Date) Dec. (Month), 1960

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	285	3	CLR	7	30.23	45	39	0	0	0	0	0	0
02	285	3	CLR	7	30.23	48	42	0	0	0	0	0	0
03	285	3	CLR	7	30.24	47	43	0	0	0	0	0	0
04	285	2	CLR	7	30.24	41	36	0	0	0	0	0	0
05	280	2	CLR	7	30.24	39	30	0	0	0	0	0	0
06	280	4	CLR	7	30.24	39	30	0	0	0	0	0	0
07	280	2	CLR	8	30.24	40	31	0	0	0	0	0	0
08	300	2	CLR	8	30.26	45	40	0	0	0	0	0	0
09	300	2	CLR	8	30.30	44	40	0	0	0	0	0	0
10	310	2	CLR	8	30.32	50	42	0	0	0	0	0	0
11	350	2	CLR	8	30.32	50	43	0	0	0	0	0	0
12	010	4	CLR	10	30.30	49	43	0	0	0	0	0	0
13	010	4	CLR	10	30.30	53	44	0	0	0	0	0	0
14	020	4	CLR	10	30.30	55	45	0	0	0	0	0	0
15	050	3	CLR	10	30.30	56	47	0	0	0	0	0	0
16	080	3	CLR	10	30.29	59	47	0	0	0	0	0	0
17	100	3	CLR	10	30.29	51	41	0	0	0	0	0	0
18	150	3	CLR	10	30.31	52	43	0	0	0	0	0	0
19	160	3	CLR	12	30.31	50	44	0	0	0	0	0	0
20	170	3	CLR	12	30.30	48	42	0	0	0	0	0	0
21	170	3	CLR	12	30.30	46	41	0	0	0	0	0	0
22	170	2	CLR	12	30.30	46	41	0	0	0	0	0	0
23	170	2	CLR	12	30.31	48	41	0	0	0	0	0	0
24	170	2	CLR	12	30.31	47	40	0	0	0	0	0	0

POSITION ZONE TIME
0800
L ________ BY ________
λ ________ BY ________
1200
L ________ BY ________
λ ________ BY ________
2000
L ________ BY ________
λ ________ BY ________

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM ________ (ZT) ________ (Date)
TO ________ (ZT) ________ (Date)
SET ________
DRIFT ________
POSITION BETWEEN FIXES
MID. L ________
MID. λ ________

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 moored starboard side to pier 10, berth 104, U.S. Naval Base Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMANDANT at U.S. Naval Station, Charleston, S.C. Moored in a nest of two ships. USS Notable (MSO 460) is moored outboard to port. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness V with material condition Yoke set.

W J Holloway
LTJG, USN

04-08 Moored as before. 0750 mustered the crew on station. Absentees: none.

W. J Holloway
LTJG, USN

APPROVED: L H Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sun (Day) 18 (Date) Dec. (Month), 1960

08-12 Moored as before. 1000 made daily inspection of magazine temperatures and smokeless powder samples. Conditions: normal.

W J Holloway
LTJG, USN

12-16 Moored as before.

W J Holloway
LTJG, USN

16-20 Moored as before

W J Holloway
LTJG, USN

20-24 Moored as before.

W J Holloway
LTJG, USN

APPROVED: L H Hawkins U. S. N. COMMANDING

EXAMINED: [illegible], LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Mon (Day) 19 (Date) Dec. (Month), 1960

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	160	2	10	CLR	30.31	47	41	0	0	0	0	0	0
02	170	4	10	CLR	30.31	47	43	0	0	0	0	0	0
03	170	5	10	CLR	30.31	46	43	0	0	0	0	0	0
04	190	5	10	CLR	30.32	46	42	0	0	0	0	0	0
05	220	5	10	CLR	30.32	46	40	0	0	0	0	0	0
06	280	5	10	CLR	30.30	46	42	0	0	0	0	0	0
07	280	5	10	CLR	30.32	43	38	0	0	0	0	0	0
08	270	4	12	CLR	30.32	53	43	0	0	0	0	0	0
09	270	4	12	CLR	30.32	62	48	0	0	0	0	0	0
10	290	4	12	CLR	30.31	63	49	0	0	0	0	0	0
11	290	2	12	CLR	30.32	63	49	0	0	0	0	0	0
12	300	2	12	CLR	30.30	61	50	0	0	0	0	0	0
13	340	2	12	CLR	30.28	64	50	0	0	0	0	0	0
14	350	2	12	CLR	30.26	64	53	0	0	0	0	0	0
15	000	4	12	CLR	30.24	64	53	0	0	0	0	0	0
16	000	4	12	CLR	30.24	64	52	0	0	0	0	0	0
17	000	4	12	CLR	30.28	60	50	0	0	0	0	0	0
18	350	2	12	CLR	30.24	55	48	0	0	0	0	0	0
19	000	2	12	CLR	30.25	54	47	0	0	0	0	0	0
20	350	2	12	CLR	30.24	54	47	0	0	0	0	0	0
21	0	0	12	CLR	30.24	54	45	0	0	0	0	0	0
22	0	0	12	CLR	30.24	52	44	0	0	0	0	0	0
23	0	0	12	CLR	30.26	50	43	0	0	0	0	0	0
24	0	0	12	CLR	30.28	48	43	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L.	BY	
λ	BY	
1200		
L.	BY	
λ	BY	
2000		
L.	BY	
λ	BY	

LEGEND:
1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to pier 10, berth 104, U.S. Naval Base Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINLANT at U.S. Naval Station, Charleston, S.C. USS Notable (MSO 460) is moored outboard to port. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness V, with material condition Yoke set. Receiving miscellaneous services from the pier.

W J Holloway
LTJG, USN

04-08 Moored as before. 0750 mustered the crew on station. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED: L. H. Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) MONDAY (Day) 19 (Date) DECEMBER (Month), 1960

08-12 MOORED AS BEFORE. 0819 SET SEA DETAIL, SECURED ~~NORMAL INPORT WATCH~~ DGB MADE ALL PREPARATION FOR SHIFTING BERTHS WITH DEAD PLANT, CAPTAIN AND NAVIGATOR ON THE BRIDGE. DRAFT PRIOR TO GETTING UNDERWAY FWD: 10'4" AFT 11'3". 0830 USS NOTABLE UNDERWAY FROM PORT SIDE. 0839 YTB 399 TIED UP TO PORT QUARTER. 0843 PILOT HUGHES ABOARD 0846 UNDERWAY TO SHIFT BERTHS IN ACCORDANCE WITH COMINLANT'S WEEKLY BERTHING SCHEDULE. 0909 MOORED STARBOARD ~~PORT~~ SIDE TO USS NOTABLE WITH STANDARD MOORING LINES DOUBLED. PIER 10 BERTH 104 DGB 0925 PILOT LEFT THE SHIP. 0930 SECURED SEA DETAIL SET NORMAL IN PORT WATCH. 0935 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D L Boyer
LTJG USN

12-16 MOORED AS BEFORE. 1415 FIRE DISCOVERED BETWEEN NOTABLE AND THIS SHIP. 1418 FIRE OUT.

D L Boyer
LTJG USN

16-20 MOORED AS BEFORE

D L Boyer
LTJG USN

20-24 MOORED AS BEFORE

D L Boyer
LTJG USN

APPROVED: U. S. N. COMMANDING

EXAMINED: , USN U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O—403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE TUE (Day) 20 (Date) DEC (Month), 1960

~~AT/PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	140	2	10	CLR	30.30	47	44	0	0	0	0	0	0
02	140	2	10	CLR	30.30	48	44	0	0	0	0	0	0
03	140	2	8	CLR	30.28	44	41	0	0	0	0	0	0
04	100	2	8	CLR	30.28	44	41	0	0	0	0	0	0
05	060	3	8	CLR	30.28	40	38	0	0	0	0	0	0
06	350	3	8	CLR	30.26	42	34	0	0	0	0	0	0
07	350	4	8	CLR	30.26	41	38	0	0	0	0	0	0
08	320	4	8	SCT	30.29	51	44	3	20000	CI	0	0	0
09	330	2	8	SCT	30.30	57	47	4	20000	CI	0	0	0
10	330	2	8	SCT	30.30	54	45	4	20000	CI	0	0	0
11	330	2	10	SCT	30.29	50	45	5	20000	CI	0	0	0
12	330	2	10	SCT	30.25	55	50	4	20000	CI	0	0	0
13	320	2	10	SCT	30.21	57	51	3	20000	CI	0	0	0
14	320	2	10	SCT	30.18	60	54	2	20000	CI	0	0	0
15	320	2	10	CLR	30.18	60	53	0	0	0	0	0	0
16	330	2	10	CLR	30.14	60	52	0	0	0	0	0	0
17	320	2	12	CLR	30.12	56	57	0	0	0	0	0	0
18	0	0	12	CLR	30.11	54	50	0	0	0	0	0	0
19	0	0	12	CLR	30.08	52	48	0	0	0	0	0	0
20	140	2	12	CLR	30.04	52	48	0	0	0	0	0	0
21	160	2	12	CLR	29.99	51	50	0	0	0	0	0	0
22	200	4	10	CLR	29.97	54	52	0	0	0	0	0	0
23	220	4	10	CLR	29.94	57	53	0	0	0	0	0	0
DLB 24	240	4	10	CLR	29.92	57	53	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L.	BY	
λ	BY	
1200		
L.	BY	
λ	BY	
2000		
L.	BY	
λ	BY	

LEGEND:
1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO USS NOTABLE (MSO 460) AT BERTH 104, PIER 10, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. DLB

D L Boyer
LTJG USN

04-08 MOORED AS BEFORE 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D L Boyer
LTJG USN

APPROVED: L. Hawkins U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Tues. (Day) 20 (Date) Dec. (Month), 19 60

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions: normal.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: Hawkins U. S. N. COMMANDING

EXAMINED: LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Wed. (Day) 21 (Date) Dec. (Month), 1960

~~AT/PASSAGE~~ FROM Charleston, S. C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	240	5	10	CLR	29.91	59	54	0	0	0	0	0	0
02	240	5	10	CLR	29.90	59	54	0	0	0	0	0	0
03	230	5	8	SCT	29.88	60	55	6	20000	Ci	0	0	0
04	230	5	8	BKN	29.87	61	57	9	1600	NS/Ci	0	0	0
05	230	5	7	BKN	29.85	61	57	9	1600	NS/Ci	0	0	0
06	230	5	7	OVC	29.81	60	57	10	1600	NS/Ci	0	0	0
07	230	5	6	OVC	29.76	60	57	10	1600	NS	0	0	0
08	230	5	4	R	29.73	60	55	10	1600	NS	0	0	0
09	230	10	4	R	29.70	59	57	10	1600	NS	0	0	0
10	240	15	2	R	29.70	58	55	10	1600	NS	0	0	0
11	240	15	2	L	29.70	58	53	10	1600	NS	0	0	0
12	245	10	3	L	29.69	55	45	10	1000	NS	0	0	0
13	240	12	5	L	29.68	55	45	10	1000	NS	0	0	0
14	240	16	6	OVC	29.71	51	40	10	1000	NS	0	0	0
15	240	12	6	OVC	29.76	48	39	10	1000	NS	0	0	0
16	235	10	6	OVC	29.80	45	39	10	1600	NS	0	0	0
17	230	12	7	OVC	29.82	44	39	10	1600	NS/AC	0	0	0
18	230	14	7	OVC	2984	43	37	10	1600	NS/AC	0	0	0
19	270	10	7	OVC	29.89	43	37	10	1600	NS/AC	0	0	0
20	320	8	5	BKN	29.90	41	33	9	1600	NS/AC	0	0	0
21	320	10	5	BKN	29.92	36	33	9	1600	NS/AC	0	0	0
22	330	15	5	SCT	29.93	35	32	6	4500	AC	0	0	0
23	330	14	5	CLR	29.96	36	32	0	0	0	0	0	0
24	330	15	5	CLR	29.99	35	33	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L ____ BY ____		
λ ____ BY ____		
1200		
L ____ BY ____		
λ ____ BY ____		
2000		
L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES
MID. L ____
MID. λ ____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to USS Notable (MSO 460) at pier 10, berth 104, U.S. Naval Base, Charleston, S.C. with standard mooring lines doubled and wire preventer fore and aft to the pier. SOPA is COMINLANT at U.S. Naval Station, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness V. Material condition Yoke is set. Receiving miscellaneous services from the pier.

W. Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED: L. Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) WEDNESDAY (Day) 21 (Date) DECEMBER (Month) 1960

08-12 MOORED AS BEFORE. 0910 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

DLBoye
LTJG USN

12-16 MOORED AS BEFORE

DLBoye
LTJG USN

16-20 MOORED AS BEFORE

DLBoye
LTJG USN

20-24 MOORED AS BEFORE.

DLBoye
LTJG USN

APPROVED: LHawkins U. S. N. COMMANDING

EXAMINED: LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE THU (Day) 22 (Date) DEC (Month), 19 60

AT ~~/PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	330	20	6	CLR	30.04	35	32	0	0	0	0	0	0
02	320	20	6	CLR	30.08	34	31	0	0	0	0	0	0
03	330	20	6	CLR	30.11	33	30	0	0	0	0	0	0
04	330	10	8	CLR	30.13	31	30	0	0	0	0	0	0
05	340	10	10	CLR	30.18	31	29	0	0	0	0	0	0
06	340	7	10	CLR	30.20	30	28	0	0	0	0	0	0
07	340	7	10	CLR	30.22	30	28	0	0	0	0	0	0
08	340	7	10	CLR	30.24	33	32	0	0	0	0	0	0
09	340	8	10	CLR	30.28	37	32	0	0	0	0	0	0
10	340	8	10	CLR	30.30	41	36	0	0	0	0	0	0
11	340	8	10	CLR	30.30	41	36	0	0	0	0	0	0
12	310	8	10	CLR	30.31	40	35	0	0	0	0	0	0
13	290	5	10	CLR	30.29	43	38	0	0	0	0	0	0
14	285	5	10	CLR	30.29	45	40	0	0	0	0	0	0
15	285	4	10	CLR	30.29	45	38	0	0	0	0	0	0
16	285	4	10	CLR	30.28	42	36	0	0	0	0	0	0
17	280	10	8	CLR	30.27	40	36	0	0	0	0	0	0
18	280	10	8	CLR	30.26	39	35	0	0	0	0	0	0
19	270	8	8	CLR	30.28	37	34	0	0	0	0	0	0
20	245	10	8	CLR	30.30	34	30	0	0	0	0	0	0
21	215	8	8	CLR	30.31	33	30	0	0	0	0	0	0
22	215	6	8	CLR	30.33	32	30	0	0	0	0	0	0
23	220	6	8	CLR	30.34	34	32	0	0	0	0	0	0
24	235	2	8	CLR	30.36	37	34	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 MOORED STARBOARD SIDE TO ~~BERTH~~ USS NOTABLE (MSO 460) AT PIER 10, BERTH 104, U.S. NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL BASE, CHARLESTON, S.C. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS MISCELLANEOUS YARD AND DISTRICT CRAFT. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET.

DL Boyer
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

DL Boyer
LTJG USN

APPROVED: L H Hawkins U.S.N. COMMANDING

EXAMINED: LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Thurs (Day) 22 (Date) Dec (Month), 1960

08-12 Moored as before. 1000 made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: L. H. Hawkins U.S.N. COMMANDING

EXAMINED: [illegible], LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO519) ZONE DESCRIPTION +5 DATE Fri (Day) 23 (Date) ~~Se~~ Dec (Month), 1960 WH

AT/PASSAGE FROM Charleston, S. C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	231	2	8	CLR	30.38	35	33	0	0	0	0	0	0
02	230	2	8	CLR	30.38	35	34	0	0	0	0	0	0
03	255	4	8	CLR	30.39	34	33	0	0	0	0	0	0
04	235	4	8	CLR	30.36	33	29	0	0	0	0	0	0
05	235	2	6	CLR	30.38	31	29	0	0	0	0	0	0
06	240	2	7	CLR	30.37	30	28	0	0	0	0	0	0
07	240	2	7	CLR	30.41	29	30	0	0	0	0	0	0
08	240	2	9	CLR	30.44	34	32	0	0	0	0	0	0
09	280	2	9	CLR	30.46	40	36	0	0	0	0	0	0
10	280	3	10	CLR	30.46	44	39	0	0	0	0	0	0
11	280	3	10	CLR	30.41	40	36	0	0	0	0	0	0
12	280	3	10	CLR	30.41	42	36	0	0	0	0	0	0
13	280	3	10	CLR	30.41	42	37	0	0	0	0	0	0
14	280	4	10	CLR	30.40	42	37	0	0	0	0	0	0
15	220	10	10	CLR	30.41	45	40	0	0	0	6	0	0
16	220	7	10	CLR	30.43	45	40	0	0	0	0	0	0
17	250	7	10	CLR	30.43	44	40	0	0	0	0	0	0
18	210	7	10	CLR	30.42	44	39	0	0	0	0	0	0
19	180	5	10	CLR	30.45	44	39	0	0	0	0	0	0
20	180	3	10	CLR	30.43	41	36	0	0	0	0	0	0
21	150	3	10	CLR	30.42	41	36	0	0	0	0	0	0
22	100	3	10	CLR	30.40	40	35	0	0	0	0	0	0
23	100	3	10	CLR	30.40	35	32	0	0	0	0	0	0
24	100	3	10	CLR	30.40	34	33	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to USS Notable (MSO 460), pier 10, berth 104, U.S. Naval Base, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINCLANT at U.S. Naval Base, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness V. Material condition Yoke is set. Receiving miscellaneous services from the pier

W J Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none

W J Holloway

APPROVED: L Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 518) Fri. (Day) 23 (Date) Dec. (Month), 1960

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal. Made weekly test of magazine sprinkler system. Tests satisfactory.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: EXAMINED:

L. Hawkins U. S. N. COMMANDING

W. E. Griffin, LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE SAT (Day) 24 (Date) DEC (Month), 1960

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	100	3	10	CLR	30.40	34	33	0	0	6	0	0	0
02	100	3	10	CLR	30.40	34	32	0	0	0	0	0	0
03	100	2	10	CLR	30.41	34	32	0	0	0	0	0	0
04	100	2	10	CLR	30.43	34	32	0	0	0	0	0	0
05	100	4	10	CLR	30.45	35	32	0	0	0	0	0	0
06	100	4	10	CLR	30.47	35	33	0	0	0	0	0	0
07	110	6	10	CLR	30.47	37	34	0	0	0	0	0	0
08	110	6	12	CLR	30.48	40	35	0	0	0	0	0	0
09	110	5	12	CLR	30.49	42	40	0	0	0	0	0	0
10	110	5	12	CLR	30.50	45	43	0	0	0	0	0	0
11	110	4	12	CLR	30.48	48	45	0	0	0	0	0	0
12	140	2	10	CLR	30.44	49	45	0	0	0	0	0	0
13	150	2	10	CLR	30.37	50	46	0	0	0	0	0	0
14	155	2	10	CLR	30.37	52	48	0	0	0	0	0	0
15	155	4	8	SCT	30.38	51	48	4	1600	NS/AC	0	0	0
16	155	4	8	SCT	30.40	52	48	7	1600	NS/AC	0	0	0
17	155	8	8	BKN	30.40	49	45	9	1600	NS/AC	0	0	0
18	160	8	8	OVC	30.42	47	45	10	1600	NS/AC	0	0	0
19	160	8	8	OVC	30.42	46	44	10	1600	NS	0	0	0
20	160	8	6	OVC	30.41	44	42	10	1400	NS	0	0	0
21	155	4	6	OVC	30.41	45	42	10	1200	NS	0	0	0
22	155	4	6	OVC	30.41	45	42	10	1000	NS	0	0	0
23	155	2	6	L	30.41	45	42	10	1000	NS	0	0	0
24	155	2	6	OVC	30.41	45	42	10	1000	NS	0	0	0

POSITION	ZONE	TIME
0800		
L. ______ BY ______		
λ ______ BY ______		
1200		
L. ______ BY ______		
λ ______ BY ______		
2000		
L. ______ BY ______		
λ ______ BY ______		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ______ (ZT) ______ (Date)
TO ______ (ZT) ______ (Date)
SET ______
DRIFT ______

POSITION BETWEEN FIXES

MID. L ______
MID. λ ______

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to USS Notable (MSO 460), pier 10, berth 104, U.S. Naval Base, Charleston, S.C. with standard mooring lines doubles and wire preventers fore and aft to the pier. SOPA is COMINLANT at U.S. Naval Base, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness V. Material condition Yoke is set. Receiving miscellaneous services from the pier.

W. J. Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew on station. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED: L. H. Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sat. (Day) 24 (Date) Dec. (Month), 1960

08-12 Moored as before. 1000 made daily inspection of magazine temperaturs and smokeless powder samples, Conditions normal.

W. Holloway
LTJG, USN

12-16 Moored as before.

W. Holloway
LTJG, USN

16-20 Moored as before.

W. Holloway
LTJG, USN

20-24 Moored as before.

W. Holloway
LTJG, USN

APPROVED: Hawkins U. S. N. COMMANDING

EXAMINED: , LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO519) ZONE DESCRIPTION +5 DATE Sun (Day) 25 (Date) Dec (Month), 1960

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	150	2	7	SCT	30.42	44	42	8	1600	NS/AC	0	0	0
02	150	2	7	SCT	30.40	43	40	2	1600	NS/AC	0	0	0
03	200	2	7	CLR	30.40	41	38	0	0	0	0	0	0
04	280	2	8	CLR	30.37	40	36	0	0	0	0	0	0
05	320	3	8	CLR	30.36	40	36	0	0	0	0	0	0
06	320	3	10	CLR	30.37	39	35	0	0	0	0	0	0
07	320	3	10	CLR	30.37	39	35	0	0	0	0	0	0
08	320	3	10	CLR	30.37	39	35	0	0	0	0	0	0
09	320	3	10	CLR	30.39	44	38	0	0	0	0	0	0
10	320	2	10	CLR	30.41	53	47	0	0	0	0	0	0
11	320	2	10	CLR	30.42	54	47	0	0	0	0	0	0
12	320	2	10	CLR	30.43	56	50	0	0	0	0	0	0
13	320	2	10	CLR	30.44	54	50	0	0	0	0	0	0
14	315	2	10	CLR	30.40	58	52	0	0	0	0	0	0
15	320	2	10	CLR	30.39	59	54	0	0	0	0	0	0
16	290	4	10	CLR	30.34	56	54	0	0	0	0	0	0
17	290	4	10	CLR	30.32	53	50	0	0	0	0	0	0
18	280	4	10	CLR	30.30	50	48	0	0	0	0	0	0
19	280	4	10	CLR	30.30	49	46	0	0	0	0	0	0
20	0	0	10	CLR	30.31	48	44	0	0	0	0	0	0
21	150	1	10	CLR	30.31	44	40	0	0	0	0	0	0
22	320	2	10	CLR	30.30	44	39	0	0	0	0	0	0
23	320	2	10	CLR	30.29	44	38	0	0	0	0	0	0
24	320	2	10	CLR	30.26	43	38	0	0	0	0	0	0

POSITION ZONE TIME
0800
L ______ BY ______
λ ______ BY ______
1200
L ______ BY ______
λ ______ BY ______
2000
L ______ BY ______
λ ______ BY ______

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA
FROM ______ (ZT) ______ (Date)
TO ______ (ZT) ______ (Date)
SET ______
DRIFT ______
POSITION BETWEEN FIXES
MID. L ______
MID. λ ______

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to U.S.S. Notable (MSO400), pier 10, berth 104, U.S. Naval Base, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINLANT at U.S. Naval Base, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness V. Material condition Yoke is set. Receiving miscellaneous services from the pier

MJ Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew on station. Absentees: none.

MJ Holloway
LTJG, USN

APPROVED: L Hawkins U. S. N. COMMANDING

EXAMINED: [illegible], LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Sun. (Day) 25 (Date) Dec (Month), 1960

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: L. Hawkins U.S.N. COMMANDING

EXAMINED: W. E. Griffin, LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO-519) ZONE DESCRIPTION +5 DATE MON (Day) 26 (Date) DEC (Month), 1960

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	320	2	10	CLR	30.27	41	39	0	0	0	0	0	0
02	310	2	8	CLR	3026	40	38	0	0	0	0	0	0
03	310	2	8	CLR	3027	40	38	0	0	0	0	0	0
04	310	2	8	CLR	3024	40	38	0	0	0	0	0	0
05	310	3	8	CLR	3024	40	38	0	0	0	0	0	0
06	310	3	8	CLR	3024	41	39	0	0	0	0	0	0
07	310	2	8	CLR	3024	43	41	0	0	0	0	0	0
08	310	2	8	CLR	3024	44	41	0	0	0	0	0	0
09	310	2	8	CLR	3020	49	41	0	0	0	0	0	0
10	310	2	8	CLR	3016	54	50	0	0	0	0	0	0
11	340	3	10	CLR	3014	55	53	0	0	0	0	0	0
12	315	4	10	CLR	3011	55	52	0	0	0	0	0	0
13	350	4	12	CLR	3010	56	54	0	0	0	0	0	0
14	080	10	12	CLR	3007	56	54	0	0	0	0	0	0
15	100	12	12	CLR	3007	62	59	0	0	0	0	0	0
16	150	10	10	SCT	3008	63	60	2	20000	CI	0	0	0
17	170	8	10	SCT	30.08	60	57	4	20000	SC	0	0	0
18	170	4	10	SCT	3008	59	56	6	20000	SC	0	0	0
19	190	3	10	CLR	3007	59	54	0	0	0	0	0	0
20	190	3	10	CLR	3008	52	49	0	0	0	0	0	0
21	190	3	10	CLR	3008	54	51	0	0	0	0	0	0
22	210	2	8	CLR	3009	54	57	0	0	0	0	0	0
23	220	2	8	SCT	3010	54	50	2	20000	CI	0	0	0
24	235	2	8	SCT	30.11	53	50	4	20000	CI	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 Moored starboard side to USS Notable (MSO460) at pier 10, berth 104, U.S. Naval Base, Charleston, S.C, with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINLANT at U.S. Naval Base, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness V Material condition Yoke is set. Receiving miscellaneous services from the pier.

W. J. Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew on station. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED: L. Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO519) Mon (Day) 26 (Date) Dec (Month), 1960

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before

W. J. Holloway
LTJG, USN

20-24 Moored as before

W. J. Holloway
LTJG, USN

APPROVED:
L. Hawkins U. S. N. COMMANDING

EXAMINED:
LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Tues (Day) 27 (Date) Dec. (Month), 1960

AT/~~PASSAGE FROM~~ Charleston, S.C. ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	235	2	8	SCT	30.10	53	50	4	20000	CI	0	0	0
02	235	2	8	SCT	30.10	52	50	6	20000	CI	0	0	0
03	235	2	8	BKN	30.10	51	49	9	1600	CU/CI	0	0	0
04	240	4	8	BKN	30.10	51	49	9	1600	CU/CI	0	0	0
05	240	4	8	OVC	30.10	53	50	10	1600	CU/CI	0	0	0
06	240	4	8	BKN	30.10	53	50	9	1600	CU/CI	0	0	0
07	240	4	10	SCT	30.12	51	48	7	1600	CU	0	0	0
08	245	4	10	SCT	30.12	50	48	6	1600	CU	0	0	0
09	240	2	10	CLR	30.16	62	56	0	0	0	0	0	0
10	240	2	10	CLR	30.20	68	60	0	0	0	0	0	0
11	230	2	10	SCT	30.21	64	57	2	1600	CU	0	0	0
12	230	2	10	SCT	30.21	62	57	2	1600	CU	0	0	0
13	200	6	10	SCT	30.19	63	56	2	1600	CU	0	0	0
14	180	6	12	SCT	30.17	59	55	4	1600	CU/AC	0	0	0
15	180	4	12	SCT	30.15	58	56	4	1600	CU/AC	0	0	0
16	180	10	12	SCT	30.15	54	52	2	1600	CU/AC	0	0	0
17	180	10	12	SCT	30.17	52	50	2	1600	CU/AC	0	0	0
18	180	12	10	SCT	30.19	50	46	2	1600	CU	0	0	0
19	180	14	10	CLR	30.21	48	46	0	0	0	0	0	0
20	150	14	10	CLR	30.22	46	44	0	0	0	0	0	0
21	150	6	10	CLR	30.25	48	44	0	0	0	0	0	0
22	150	2	10	CLR	30.25	47	44	0	0	0	0	0	0
23	160	2	10	CLR	30.27	46	42	0	0	0	0	0	0
24	180	2	10	CLR	30.27	46	42	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L ____ BY ____		
λ ____ BY ____		
1200		
L ____ BY ____		
λ ____ BY ____		
2000		
L ____ BY ____		
λ ____ BY ____		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ (ZT) ____ (Date)
TO ____ (ZT) ____ (Date)
SET ____
DRIFT ____

POSITION BETWEEN FIXES

MID. L ____
MID. λ ____

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored ~~as before~~ starboard side to ~~pier 10, berth 104,~~ USS Notable (MSO 460) at pier 10, berth 104, U.S. Naval Base, Charleston, S.C., with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINLANT at U.S. Naval Base, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets, plus various yard and district craft. Ship is in condition of readiness II. Material Condition Yoke is set. Receiving Miscellaneous services from the pier.

W J Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none.

W J Holloway
LTJG, USN

APPROVED: L Hawkins U.S.N. COMMANDING

EXAMINED: [illegible], LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO519) Tues (Day) 27 (Date) Dec. (Month), 1960

08-12 Moored as before. 0915 Acting Commanding Officer conducted mast on Buckley, R.C. 532 92 35, SN, USN. Offense; Violation of Article 92 of Universal Code of Military Justice. Awarded 14 days of Restriction to the limits of the ship as nonjudicial punishment. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: L Hawkins U.S.N. COMMANDING

EXAMINED: W E Griffin, LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Wed. (Day) 28 (Date) Dec. (Month), 1966

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	180	2	8	CLR	30,26	45	44	0	0	0	0	0	0
02	180	4	8	CLR	30,28	43	42	0	0	0	0	0	0
03	180	8	8	CLR	30,28	43	42	0	0	0	6	6	0
04	180	2	8	CLR	30,30	43	40	0	0	0	0	0	0
05	180	6	8	CLR	30.31	40	38	0	0	0	0	0	0
06	180	4	8	CLR	30,31	38	34	0	0	0	0	0	0
07	100	6	8	CLR	30.33	36	34	0	0	0	0	0	0
08	010	6	8	CLR	30.36	38	36	0	0	0	0	0	6
09	020	7	10	CLR	30.40	40	39	0	0	0	0	0	0
10	310	5	10	CLR	30,49	43	39	0	0	0	0	0	0
11	320	5	10	CLR	30,40	49	45	0	0	0	0	0	0
12	320	5	10	CLR	30.38	50	46	0	0	0	0	0	0
13	320	6	10	CLR	30.38	50	46	0	0	0	0	0	0
14	320	6	10	CLR	30,34	53	49	0	0	0	0	0	0
15	320	6	10	CLR	30.30	52	48	0	0	0	0	0	0
16	320	6	10	CLR	3030	51	44	0	0	0	0	0	0
17	320	4	10	SCT	30.31	49	46	2	1600	CU	0	0	0
18	320	4	10	SCT	30.32	48	45	4	1600	CU/ST	0	0	0
19	340	4	10	OVC	30.34	45	43	10	1600	CU/ST	0	0	0
20	340	4	10	OVC	30.31	44	42	10	4500	ST	0	0	0
21	340	4	10	OVC	30,34	43	42	10	4500	ST	0	0	0
22	340	4	10	OVC	30.33	43	43	10	4500	ST	0	0	0
23	350	4	10	OVC	30.31	43	41	10	4500	ST	0	0	0
24	010	4	10	OVC	30,29	43	40	10	4500	ST	0	0	0

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to USS Notable (MSO 460) at pier 10, berth 104, U.S. Naval Base, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINLANT at U.S. Naval Base, Charleston, S.C. Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness V. Material condition Yoke is set. Receiving miscellanious services from the pier.

W. J. Holloway
LTJG, USN

04-08 Moored as before. 0750 Mustered the crew at quarters. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED: L. A. Hawkins U. S. N. COMMANDING

EXAMINED: U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Wed (Day) 28 (Date) Dec (Month) 19 60

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W J Holloway
LTJG, USN

16-20 Moored as before.

W J Holloway
LTJG, USN

20-24 Moored as before.

W J Holloway
LTJG, USN

APPROVED: D. Hawkins U. S. N. COMMANDING

EXAMINED: W. D. Griffin, LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO519) ZONE DESCRIPTION +5 DATE Thurs. 29 (Day) (Date) Dec (Month), 1960

AT/PASSAGE FROM Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	160	5	8	OVC	30.27	43	40	10	4500	ST	0	0	0
02	160	5	4	OVC	30.26	43	40	10	4500	ST	0	0	0
03	170	5	3	OVC	30.24	42	39	10	4500	ST	0	0	0
04	175	5	3	OVC	30.23	43	40	10	1600	NS/ST	0	0	0
05	175	5	3	OVC	30.22	43	40	10	1600	NS/ST	0	0	0
06	170	5	3	OVC	30.22	43	41	10	1000	NS/ST	0	0	0
07	170	5	2	OVC	30.24	41	40	10	1000	NS/ST	0	0	0
08	170	5	2	OVC	30.24	42	41	10	1000	NS/AC	0	0	0
09	170	5	1	OVC	30.20	42	41	10	1000	NS/AC	0	0	0
10	180	4	1	OVC	30.21	43	41	10	1000	NS/AC	0	0	0
11	180	4	2	OVC	30.22	48	47	10	1000	NS/AC	0	0	0
12	160	2	4	OVC	30.19	49	48	10	1600	NS/AC	0	0	0
13	170	2	4	OVC	30.15	52	50	10	1600	NS/AC	0	0	0
14	170	2	4	BKN	30.12	56	54	9	1600	NS/AC	0	0	0
15	175	2	6	BKN	30.10	54	51	9	1600	NS/CI	0	0	0
16	175	3	7	BKN	30.10	55	52	9	1600	NS/CI	0	0	0
17	175	5	7	SCT	30.10	49	48	7	1600	NS/CI	0	0	0
18	175	10	4	SCT	30.09	48	43	7	1600	NS/CI	0	0	0
19	170	5	0	F	30.09	47	42	0	0	0	0	0	0
20	170	1	0	F	30.09	47	44	0	0	0	0	0	0
21	175	1	1	OVC	30.08	48	46	10	1000	NS	0	0	0
22	175	1	1	OVC	30.08	48	46	10	800	NS	0	0	0
23	170	1	1	OVC	30.08	48	46	10	800	NS	0	0	0
24	170	1	1	OVC	30.06	50	48	10	800	NS	0	0	0

POSITION	ZONE	TIME
0800		
L. ________ BY ________		
λ ________ BY ________		
1200		
L. ________ BY ________		
λ ________ BY ________		
2000		
L. ________ BY ________		
λ ________ BY ________		

LEGEND:
1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ________ (ZT) ________ (Date)
TO ________ (ZT) ________ (Date)
SET ________
DRIFT ________

POSITION BETWEEN FIXES

MID. L. ________
MID. λ ________

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to USS Notable (MSO 460) at pier 10, berth 104, U.S. Naval Base, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the pier. SOPA is COMINCLANT at U.S. Naval Base, Charleston, S.C., Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness II, Material condition Yoke is set, Receiving miscellaneous services from the pier.

W J Holloway
LTJG, USN

04-08 moored as before. 0750 Mustered the crew at quarters. Absentees, None.

W J Holloway
LTJG, USN

APPROVED: L L Hawkins U. S. N. COMMANDING

EXAMINED: [illegible], LTJG U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) THURS. 29 DEC. 1960
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0833 COMMANDING OFFICER RETURNED FROM 12 DAYS LEAVE. 1032 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

D L Boyer
LTJG USN

12-16 MOORED AS BEFORE.

D L Boyer
LTJG USN

16-20 MOORED AS BEFORE

D L Boyer
LTJG USN

20-24 MOORED AS BEFORE.

D L Boyer
LTJG USN

APPROVED: Hawkins U. S. N. COMMANDING

EXAMINED: LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O—403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABILITY (MSO 519) ZONE DESCRIPTION +5 DATE FRIDAY (Day) 30 (Date) DECEMBER (Month), 1960

AT/~~PASSAGE FROM~~ CHARLESTON, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	170	4	6	OVC	30.05	50	48	10	1000	NS	0	0	0
02	170	4	7	OVC	30.04	50	48	10	1000	NS	0	0	0
03	210	4	2	OVC	30.02	52	50	10	1000	NS	0	0	0
04	280	3	1	R	29.99	53	51	10	1000	NS	0	0	0
05	285	2	1	R	29.97	55	53	10	800	NS	0	0	0
06	285	2	1	R	29.96	57	55	10	800	NS	0	0	0
07	285	2	1	R	29.98	55	54	10	800	NS	0	0	0
08	290	2	1	R	29.99	56	55	10	800	NS	0	0	0
09	320	4	1	R	30.00	58	56	10	800	NS	0	0	0
10	300	2	1	R	30.00	58	57	10	800	NS	0	0	0
11	300	2	1	R	30.00	56	54	10	800	NS	0	0	0
12	300	2	5	OVC	30.00	57	55	10	1000	NS	0	0	0
13	310	2	6	OVC	29.99	57	55	10	1000	NS/ST	0	0	0
14	320	2	7	BKN	29.99	58	55	9	1600	NS/ST	0	0	0
15	010	4	7	BKN	29.97	58	55	9	1600	NS/ST	0	0	0
16	055	4	6	BKN	29.99	58	55	9	1600	NS/ST	0	0	0
17	010	4	6	SCT	30.01	56	53	6	4500	ST/AC	0	0	0
18	005	4	6	SCT	30.01	53	50	6	4500	AC/CI	0	0	0
19	310	4	8	SCT	30.02	50	47	4	4500	AC/CI	0	0	0
20	320	3	8	SCT	30.02	50	48	4	4500	AC/CI	0	0	0
21	000	2	7	SCT	30.02	48	47	2	20000	CI	0	0	0
22	000	2	7	CLR	30.02	48	47	0	0	0	0	0	0
23	0	0	8	CLR	30.02	47	46	0	0	0	0	0	0
24	0	0	8	CLR	30.02	47	45	0	0	0	0	0	0

POSITION	ZONE	TIME
0800		
L ______ BY ______		
λ ______ BY ______		
1200		
L ______ BY ______		
λ ______ BY ______		
2000		
L ______ BY ______		
λ ______ BY ______		

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ______ (ZT) ______ (Date)
TO ______ (ZT) ______ (Date)
SET ______
DRIFT ______

POSITION BETWEEN FIXES

MID. L ______
MID. λ ______

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 MOORED STARBOARD SIDE TO USS NOTABLE (MSO 460) AT PIER 10, BERTH 104, US NAVAL BASE, CHARLESTON, S.C. WITH STANDARD MOORING LINES DOUBLED AND WIRE PREVENTERS OUT FORE AND AFT TO THE PIER. SOPA IS COMINLANT AT U.S. NAVAL BASE. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. ATLANTIC AND RESERVE FLEETS PLUS VARIOUS YARD AND DISTRICT CRAFT. SHIP IS IN CONDITION OF READINESS V WITH MATERIAL CONDITION YOKE SET. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER.

D L Boyer
LTJG USN

04-08 MOORED AS BEFORE. 0750 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

D L Boyer
LTJG USN

APPROVED: L H Hawkins U.S.N. COMMANDING

EXAMINED: , LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Ability (MSO 519) Fri (Day) 30 (Date) Dec (Month), 1960

08-12 Moored as before. 1000 Made daily inspection of magazine temperatures and smokeless powder samples. Conditions normal. Made weekly test of the magazine sprinkling system. Tests satisfactorily.

W. J. Holloway
LTJG, USN

12-16 Moored as before.

W. J. Holloway
LTJG, USN

16-20 Moored as before.

W. J. Holloway
LTJG, USN

20-24 Moored as before.

W. J. Holloway
LTJG, USN

APPROVED: D. Hawkins U.S.N. COMMANDING

EXAMINED: W. E. [illegible], LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS Ability (MSO 519) ZONE DESCRIPTION +5 DATE Sat. (Day) ~~30~~31 (Date) Dec (Month), 1960 WH

AT/~~PASSAGE FROM~~ Charleston, S.C. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01	0	0	6	CLR	30.02	46	45	0	0	0	0	0	0
02	0	0	6	CLR	30.02	46	45	0	0	0	0	0	0
03	0	0	6	CLR	30.02	46	45	0	0	0	0	0	0
04	0	0	6	CLR	30.02	46	45	0	0	0	0	0	0
05	0	0	6	CLR	30.02	46	45	0	0	0	0	0	0
06	000	2	7	CLR	30.02	46	45	0	0	0	0	0	0
07	010	3	7	SCT	30.00	46	45	2	1600	NS	0	0	0
08	040	3	6	OVC	30.00	48	46	10	1600	NS/AC	0	0	0
09	040	5	6	OVC	30.00	48	46	10	1600	NS/AC	0	0	0
10	040	5	8	SCT	30.00	48	46	6	1600	NS/AC	0	0	0
11	060	7	8	OVC	30.00	51	49	10	1600	NS/AC	0	0	0
12	040	10	8	OVC	30.00	53	50	10	1600	NS/AC	0	0	0
13	040	15	8	SCT	29.99	53	51	7	1600	NS	0	0	0
14	040	15	10	SCT	29.97	56	54	8	1600	NS	0	0	0
15	040	15	10	OVC	29.97	58	55	10	1600	NS	0	0	0
16	040	15	10	OVC	29.94	58	55	10	1600	NS	0	0	0
17	050	15	10	OVC	29.90	58	55	10	1600	NS	0	0	0
18	060	15	10	OVC	29.90	56	53	10	1600	NS	0	0	0
19	070	10	8	OVC	29.91	53	52	10	1600	NS	0	0	0
20	070	15	7	OVC	29.90	54	52	10	1600	NS	0	0	0
21	070	15	6	R	29.84	58	53	10	1000	NS	0	0	0
22	080	10	4	R	29.80	63	58	10	800	NS	0	0	0
23	100	15	3	R	29.73	63	62	10	800	NS	0	0	0
24	120	20	3	R	29.69	65	64	10	800	NS	0	0	0

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT

POSITION BETWEEN FIXES

MID. L
MID. λ

MILES STEAMED 0000-2400
0

FUEL CONSUMED 0000-2400
0

REMARKS

00-04 Moored starboard side to U.S.S. Notable (MSO 460) at pier 10, berth 104, U.S. Naval Base, Charleston, S.C. with standard mooring lines doubled and wire preventers fore and aft to the piers. SOPA is COMINLANT at U.S. Naval Base Charleston, S.C ~~with standard mooring lines doubled~~ WH
WH ~~and wire preventers fore and aft to the pier.~~ Ships present include various units of the U.S. Atlantic and Reserve Fleets plus various yard and district craft. Ship is in condition of readiness V, material condition Yoke is set, Receiving miscellaneous services from the pier.

W. J. Holloway
LTJG, USN

04-08 Moored as before. 0750 mustered the crew on station. Absentees: none.

W. J. Holloway
LTJG, USN

APPROVED: L. A. Hawkema U.S.N. COMMANDING

EXAMINED: W. H. Riggin, LTJG U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABILITY (MSO 519) SATURDAY (Day) 31 (Date) DEC. (Month), 1960

08-12 MOORED AS BEFORE. 0810 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

DLBoyer
LTJG USN

12-16 MOORED AS BEFORE.

DLBoyer
LTJG USN

16-20 MOORED AS BEFORE

DLBoyer
LTJG USN

20-24 MOORED AS BEFORE.

DLBoyer
LTJG USN

APPROVED: LHawkins U. S. N. COMMANDING

EXAMINED: LTJG U. S. N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U. S. GOVERNMENT PRINTING OFFICE : 1956—O-403112

FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ________ ZONE DESCRIPTION ________ DATE ____ *(Day)* ____ *(Date)* ____ *(Month)* ____, 19____

AT/PASSAGE FROM ________ TO ________

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION ZONE TIME

0800
L ________ BY ____
λ ________ BY ____

1200
L ________ BY ____
λ ________ BY ____

2000
L ________ BY ____
λ ________ BY ____

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA

FROM ____ *(ZT)* ____ *(Date)*
TO ____ *(ZT)* ____ *(Date)*
SET ________
DRIFT ________

POSITION BETWEEN FIXES

MID. L ________
MID. λ ________

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

APPROVED: EXAMINED:

________ U. S. N. COMMANDING

________ U. S. N. NAVIGATOR